



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Tuesday, January 26, 2016** at 12:15 a.m. Eastern Time. Please [contact NSF International](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/Pool/Listsings.asp?Company=21600&Standard=050&>

NSF/ANSI 50 Equipment for Swimming Pools, Spas, Hot Tubs and Other Recreational Water Facilities

Hayward Industries, Inc.

<http://www.haywardnet.com>

620 Division Street

Elizabeth, NJ 07207

United States

908-351-5400

Visit this company's website (<http://www.haywardnet.com>)

Facility : Pomona, CA

Precoat Media-Type Filters (DE, Perlite, or Cellulose Media)

Model Number	Filter Type	Design Filtration Rate GPM Per ft ²	Effective Filtration Area (ft ²)	End Use
Pro-Grid Vertical Grid DE Filters				
DE2420	D.E.	2	24	Pool or Spa/Hot Tub
DE2420AQ	D.E.	2	24	Pool or Spa/Hot Tub
DE2420CP	D.E.	2	24	Pool or Spa/Hot Tub
DE2420RAM	D.E.	2	24	Pool or Spa/Hot Tub
DE2420STA	D.E.	2	24	Pool or Spa/Hot Tub
DELE42250	D.E.	2	24	Pool or Spa/Hot Tub
DE3620	D.E.	2	36	Pool or Spa/Hot Tub
DE3620AQ	D.E.	2	36	Pool or Spa/Hot Tub
DE3620CP	D.E.	2	36	Pool or Spa/Hot Tub
DE3620RAM	D.E.	2	36	Pool or Spa/Hot Tub
DE3620STA	D.E.	2	36	Pool or Spa/Hot Tub
DELE42252	D.E.	2	36	Pool or Spa/Hot Tub
DE4820	D.E.	2	48	Pool or Spa/Hot Tub
DE4820AQ	D.E.	2	48	Pool or Spa/Hot Tub
DE4820CP	D.E.	2	48	Pool or Spa/Hot Tub
DE4820RAM	D.E.	2	48	Pool or Spa/Hot Tub
DE4820STA	D.E.	2	48	Pool or Spa/Hot Tub
DELE42254	D.E.	2	48	Pool or Spa/Hot Tub
DE6020	D.E.	2	60	Pool or Spa/Hot Tub
DE6020AQ	D.E.	2	60	Pool or Spa/Hot Tub

DE6020CP	D.E.	2	60	Pool or Spa/Hot Tub
DE6020RAM	D.E.	2	60	Pool or Spa/Hot Tub
DE6020STA	D.E.	2	60	Pool or Spa/Hot Tub
DELE42256	D.E.	2	60	Pool or Spa/Hot Tub
DE7220	D.E.	2	72	Pool or Spa/Hot Tub
DE7220AQ	D.E.	2	72	Pool or Spa/Hot Tub
DE7220CP	D.E.	2	72	Pool or Spa/Hot Tub
DE7220RAM	D.E.	2	72	Pool or Spa/Hot Tub
DE7220STA	D.E.	2	72	Pool or Spa/Hot Tub
DELE42258	D.E.	2	72	Pool or Spa/Hot Tub

Sand Type Filters

Model Number	Filter Type	Design Filtration Rate GPM Per ft ²	Effective Filtration Area (ft ²)	End Use
Sand Filters				
S200	High Rate Sand	20	2.2	Pool or Spa/Hot Tub
SLE42082	High Rate Sand	20	2.2	Pool or Spa/Hot Tub
S220S[2]	High Rate Sand	20	2.6	Pool or Spa/Hot Tub
S220T[1]	High Rate Sand	20	2.6	Pool or Spa/Hot Tub
S220T2[5]	High Rate Sand	20	2.6	Pool or Spa/Hot Tub
S2300TPL	High Rate Sand	20	2.6	Pool or Spa/Hot Tub
S240	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S244S[2] [3]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S244SAQ[3]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S244T[3]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S244T2[3] [5]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S244TRAM[3]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
SLE42084	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S310S[2]	High Rate Sand	20	4.9	Pool or Spa/Hot Tub
S310SAQ	High Rate Sand	20	4.9	Pool or Spa/Hot Tub
S310T[1]	High Rate Sand	20	4.9	Pool or Spa/Hot Tub
S310T2[5]	High Rate Sand	20	4.9	Pool or Spa/Hot Tub
SLE42086	High Rate Sand	20	4.9	Pool or Spa/Hot Tub
S311SX[4]	High Rate Sand	20	4.95	Pool or Spa/Hot Tub
S360SX	High Rate Sand	20	6.5	Pool or Spa/Hot Tub
S360SXAQ	High Rate Sand	20	6.5	Pool or Spa/Hot Tub
S360T2[5]	High Rate Sand	20	6.5	Pool or Spa/Hot Tub

[1] Beginning serial number for NSF listed models is 019.

[2] Beginning serial number for NSF listed models is 320B24.

[3] NTS - Special logo for In The Swim

[4] Beginning serial number for NSF listed models is 320J24

[5] With or without suffix AU

Recessed Automatic Surface Skimmers

Skimmers[1] [2]

SP1070FVEXXXXXXX[3] [5]	SP1070XXXXXXX[4] [5]	SP10712FVEXXXXXXX[3] [5]
SP10712SFVEXXXXXXX[3] [5]	SP1071FVEXXXXXXX[3] [5]	SP1071SFVEXXXXXXX[3] [5]
SP1071SXXXXXXX[4] [5]	SP1071XXXXXXX[4] [5]	WG10712SFVXXXXXXX[3]

- [1] XXXXXX - 1 to 6 character suffix indicating extra fittings supplied or port configurations.
- [2] Certified for a maximum flow rate of 55 gpm.
- [3] Commercial or residential use. FVE suffix indicates use of a float valve and an equalizer valve within the skimmer.
- [4] Residential use only.
- [5] SP1070 series skimmers require cover WG1070C to meet the UV exposure, structural integrity, and cleanability requirements of NSF/ANSI 50.

Pumps

EcoStar Series[1] [2] [3]

HCP3400VSP	HCP3400VSPVR	SP3400VSP
SP3400VSPVR		

- [1] Certified for Pool and Spa/Hot Tub end use.
- [2] Self-priming to 10 feet.
- [3] With or without suffix BH or CP
 BH - Special logo for Blue Haven
 CP - Special logo for California Pools

Max-Flo™ Series[4] [5] [6] [7] [8] [9]

SP2800	SP2805	SP2807[10]	SP2810[10]	SP2815[10]
--------	--------	------------	------------	------------

- [4] Certified for Pool & Spa End Use.
- [5] With or without suffix BH, CP, or FL:
 BH - Special logo for Blue Haven, Inc.
 BLK - Black motor
 CP - Special logo for California Pools
 FL - Gold motor
 NTS - Special logo for In The Swim
- [6] Suffix numbers denote cycle and phase:
 51 - 50 hertz, single phase
 53 - 50 hertz, three phase
 63 - 60 hertz, three phase
- [7] Maximum rated horsepower suffix:
 X5 - 1/2 hp
 X7 - 3/4 hp
 X10 - 1 hp
 X15 - 1 1/2 hp
 X20 - 2 hp
 X25 - 2 1/2 hp
- [8] With or without suffix EE:
 EE - Energy efficient
- [9] With or without suffix UN.
 UN - With 1 1/2" union connectors
- [10] Available in two speed with (2) or (2S) suffix (not self priming at low speed).

Super II™ Series[4] [5] [6] [11] [12]

RS1000[10]	RS1500[10]	RS2000[10]
RS2500	RS3000	RS750[10]
SP3005	SP3007	SP3010
SP3015	SP3020	SP3025
SP3105	SP3107	SP3110
SP3115	SP3120	SP3125

[4] Certified for Pool & Spa End Use.

[5] With or without suffix BH, CP, or FL:

BH - Special logo for Blue Haven, Inc.

BLK - Black motor

CP - Special logo for California Pools

FL - Gold motor

NTS - Special logo for In The Swim

[6] Suffix numbers denote cycle and phase:

51 - 50 hertz, single phase

53 - 50 hertz, three phase

63 - 60 hertz, three phase

[10] Available in two speed with (2) or (2S) suffix (not self priming at low speed).

[11] Maximum rated horsepower suffix:

X7 - 3/4 hp

X10 - 1 hp

X15 - 1 1/2 hp

X20 - 2 hp

X25 - 2 1/2 hp

X30 - 3 hp

[12] With or without suffix AZ, EE or prefix RS:

AZ - Threaded strainer housing cover

CA - Labeled for sale in California

EE - Energy efficient

RS - Prefix indicates special features to facilitate universal replacement

UN - Provided with union couplings

Super Pump® Series[4] [5] [6] [7] [8]

SP2600[13]	SP2602[13]	SP2605
SP2607[10]	SP2610[10]	SP2615[10]
SP2621[10]		

[4] Certified for Pool & Spa End Use.

[5] With or without suffix BH, CP, or FL:

BH - Special logo for Blue Haven, Inc.

BLK - Black motor

CP - Special logo for California Pools

FL - Gold motor

NTS - Special logo for In The Swim

[6] Suffix numbers denote cycle and phase:

51 - 50 hertz, single phase

53 - 50 hertz, three phase

63 - 60 hertz, three phase

[7] Maximum rated horsepower suffix:

X5 - 1/2 hp

X7 - 3/4 hp
 X10 - 1 hp
 X15 - 1 1/2 hp
 X20 - 2 hp
 X25 - 2 1/2 hp

[8] With or without suffix EE:

EE - Energy efficient

[10] Available in two speed with (2) or (2S) suffix (not self priming at low speed).

[13] With or without suffix VSP (Variable Speed Pump).

Tristar™ Series [4] [5] [8]

EF1000[6] [10] [14] [15]	EF1500[6] [10] [14] [15]	EF1502[6] [10] [14] [15]
EF2000[6] [10] [14] [15]	EF2002[6] [10] [14] [15]	EF200VS[1] [3] [16] [17]
EF500[6] [10] [14] [15]	EF750[6] [10] [14] [15]	SP3200VSP[1] [3] [16]
SP3200VSPND[1] [3] [16]	SP3202VSP	SP3202VSPND
SP3205[6] [10] [14] [15]	SP3207[6] [10] [14] [15]	SP3210[6] [10] [14] [15]
SP32102[6] [10] [14] [15]	SP3215[6] [10] [14] [15]	SP32152[6] [10] [14] [15]
SP3220[6] [10] [14] [15]	SP32202[6] [10] [14] [15]	SP3225[6] [10] [14] [15]
SP3230[6] [10] [14] [15]	SP3250	

[1] Certified for Pool and Spa/Hot Tub end use.

[3] With or without suffix BH or CP

BH - Special logo for Blue Haven

CP - Special logo for California Pools

[4] Certified for Pool & Spa End Use.

[5] With or without suffix BH, CP, or FL:

BH - Special logo for Blue Haven, Inc.

BLK - Black motor

CP - Special logo for California Pools

FL - Gold motor

NTS - Special logo for In The Swim

[6] Suffix numbers denote cycle and phase:

51 - 50 hertz, single phase

53 - 50 hertz, three phase

63 - 60 hertz, three phase

[8] With or without suffix EE:

EE - Energy efficient

[10] Available in two speed with (2) or (2S) suffix (not self priming at low speed).

[14] Maximum rated horsepower suffix:

X5 - 1/2 hp

X7 - 3/4 hp

X10 - 1 hp

X15 - 1 1/2 hp

X20 - 2 hp

X25 - 2 1/2 hp

X30 - 3 hp

[15] Two-speed pump (not self priming at low speed).

[16] Self-priming at 8'

[17] Same unit as SP3200VSP but will display the logo EnergyFlo/SwimPro.

Cartridge and High Permeability Type Filters

Model Number	Filter Type	Design Filtration Rate GPM Per ft ²	Effective Filtration Area (ft ²)	End Use
Star Clear Cartridge Filters[1] [2] [3] [4]				
C250[5]	Cartridge	1	25	Pool or Spa/Hot Tub
C250[6]	Cartridge	.375	25	Pool or Spa/Hot Tub
C500[5]	Cartridge	1	50	Pool or Spa/Hot Tub
C500[6]	Cartridge	.375	50	Pool or Spa/Hot Tub
CLE42032[5]	Cartridge	1	50	Pool or Spa/Hot Tub
CLE42032[6]	Cartridge	.375	50	Pool or Spa/Hot Tub
C750[5]	Cartridge	1	75	Pool or Spa/Hot Tub
C750[6]	Cartridge	.375	75	Pool or Spa/Hot Tub
C100[5] [7]	Cartridge	1	100	Pool or Spa/Hot Tub
C100[6] [7]	Cartridge	.375	100	Pool or Spa/Hot Tub

[1] BLK - Black base and collar

[2] Maximum Pressure Loss

Flow Rate gpm/sq ft	Static Pressure Loss, psig	Total Pressure Loss, psi
.375	5	5.2

[3] With or without "MB" suffix for Microban.

[4] With or without suffix "S" to denote socket adapters included.

[5] Residential

[6] Public

[7] NSF Listed units have a beginning serial number of 320F30.

Star Clear Plus Cartridge Filters[1] [3] [4]

C751[5]	Cartridge	1	75	Pool or Spa/Hot Tub
C751[6]	Cartridge	.375	75	Pool or Spa/Hot Tub
C7512[5]	Cartridge	1	75	Pool or Spa/Hot Tub
C7512[6]	Cartridge	.375	75	Pool or Spa/Hot Tub
C751BH[5]	Cartridge	1	75	Pool or Spa/Hot Tub
C751BH[6]	Cartridge	.375	75	Pool or Spa/Hot Tub
C7512BH[5]	Cartridge	1	75	Pool or Spa/Hot Tub
C7512BH[6]	Cartridge	.375	75	Pool or Spa/Hot Tub
C900[5]	Cartridge	1	90	Pool or Spa/Hot Tub
C900[6]	Cartridge	.375	90	Pool or Spa/Hot Tub
C9002[5]	Cartridge	1	90	Pool or Spa/Hot Tub
C9002[6]	Cartridge	.375	90	Pool or Spa/Hot Tub
C9002AQ[5]	Cartridge	1	90	Pool or Spa/Hot Tub
C9002AQ[6]	Cartridge	.375	90	Pool or Spa/Hot Tub
C9002SBH[5]	Cartridge	1	90	Pool or Spa/Hot Tub
C9002SBH[6]	Cartridge	.375	90	Pool or Spa/Hot Tub
CLE42031[5]	Cartridge	1	90	Pool or Spa/Hot Tub
CLE42031[6]	Cartridge	.375	90	Pool or Spa/Hot Tub
C1200[5]	Cartridge	1	120	Pool or Spa/Hot Tub
C1200[6]	Cartridge	.375	120	Pool or Spa/Hot Tub
C12002[5]	Cartridge	1	120	Pool or Spa/Hot Tub
C12002[6]	Cartridge	.375	120	Pool or Spa/Hot Tub
C12002AQ[5]	Cartridge	1	120	Pool or Spa/Hot Tub
C12002AQ[6]	Cartridge	.375	120	Pool or Spa/Hot Tub
C12002SBH[5]	Cartridge	1	120	Pool or Spa/Hot Tub

C12002SBH[6]	Cartridge	.375	120	Pool or Spa/Hot Tub
CLE42034[6]	Cartridge	.375	120	Pool or Spa/Hot Tub
CLE42034[5]	Cartridge	1	120	Pool or Spa/Hot Tub
C1502[5]	Cartridge	1	150	Pool or Spa/Hot Tub
C1502[6]	Cartridge	.375	150	Pool or Spa/Hot Tub
C1750[5]	Cartridge	1	175	Pool or Spa/Hot Tub
C1750[6]	Cartridge	.375	175	Pool or Spa/Hot Tub
C17502[5]	Cartridge	1	175	Pool or Spa/Hot Tub
C17502[6]	Cartridge	.375	175	Pool or Spa/Hot Tub
C17502AQ[5]	Cartridge	1	175	Pool or Spa/Hot Tub
C17502AQ[6]	Cartridge	.375	175	Pool or Spa/Hot Tub
C17502S[5]	Cartridge	1	175	Pool or Spa/Hot Tub
C17502S[6]	Cartridge	.375	175	Pool or Spa/Hot Tub
C17502SBH[5]	Cartridge	1	175	Pool or Spa/Hot Tub
C17502SBH[6]	Cartridge	.375	175	Pool or Spa/Hot Tub
CLE42035[5]	Cartridge	1	175	Pool or Spa/Hot Tub
CLE42035[6]	Cartridge	.375	175	Pool or Spa/Hot Tub
C17502SH[5]	Cartridge	1	190	Pool or Spa/Hot Tub
C17502SH[6]	Cartridge	.375	190	Pool or Spa/Hot Tub
C19002S[5]	Cartridge	1	190	Pool or Spa/Hot Tub
C19002S[6]	Cartridge	.375	190	Pool or Spa/Hot Tub
C190002SBH[5]	Cartridge	1	190	Pool or Spa/Hot Tub
C19002SBH[6]	Cartridge	.375	190	Pool or Spa/Hot Tub
C2002[5]	Cartridge	1	200	Pool or Spa/Hot Tub
C2002[6]	Cartridge	.375	200	Pool or Spa/Hot Tub

[1] BLK - Black base and collar

[3] With or without "MB" suffix for Microban.

[4] With or without suffix "S" to denote socket adapters included.

[5] Residential

[6] Public

Super Star Clear Cartridge Filters[1]

C2000[5]	Cartridge	.375	200	Pool or Spa/Hot Tub
C2000AQ[5]	Cartridge	.375	200	Pool or Spa/Hot Tub
C3000[5] [6]	Cartridge	.375	300	Pool or Spa/Hot Tub
C3000AQ[5] [6]	Cartridge	.375	300	Pool or Spa/Hot Tub
C3000S[5] [6]	Cartridge	.375	300	Pool or Spa/Hot Tub
CLE42036[5] [6]	Cartridge	.375	300	Pool or Spa/Hot Tub
C3000BH[5] [6]	Cartridge	.375	325	Pool or Spa/Hot Tub
C3000H[5] [6]	Cartridge	.375	325	Pool or Spa/Hot Tub
C4000[5] [6]	Cartridge	.375	400	Pool or Spa/Hot Tub
C4000AQ[5] [6]	Cartridge	.375	400	Pool or Spa/Hot Tub
C4000CP[5] [6]	Cartridge	.375	400	Pool or Spa/Hot Tub
C4000S[5] [6]	Cartridge	.375	400	Pool or Spa/Hot Tub
C4000H[5] [6]	Cartridge	.375	450	Pool or Spa/Hot Tub
C4500[5] [6]	Cartridge	.375	450	Pool or Spa/Hot Tub
C5000[5] [6]	Cartridge	.300	500	Pool or Spa/Hot Tub
C5000AQ[5] [6]	Cartridge	.300	500	Pool or Spa/Hot Tub
C5500STA[5] [6]	Cartridge	.300	500	Pool or Spa/Hot Tub
C5000H[5] [6]	Cartridge	.300	550	Pool or Spa/Hot Tub
C5500[5] [6]	Cartridge	.300	550	Pool or Spa/Hot Tub

[1] BLK - Black base and collar

[5] Residential

[6] Public

Swim Clear Cartridge Filters[3]

C100S[8]	Cartridge	.375	100	Pool or Spa/Hot Tub
C150S[8]	Cartridge	.375	150	Pool or Spa/Hot Tub
C200S[8]	Cartridge	.375	200	Pool or Spa/Hot Tub
C2020	Cartridge	.375	200	Pool or Spa/Hot Tub
C2020AQ	Cartridge	.375	200	Pool or Spa/Hot Tub
C2020CP	Cartridge	.375	200	Pool or Spa/Hot Tub
C2020RAM	Cartridge	.375	200	Pool or Spa/Hot Tub
C2020STA	Cartridge	.375	200	Pool or Spa/Hot Tub
C2025	Cartridge	.375	225	Pool or Spa/Hot Tub
C2025AQ	Cartridge	.375	225	Pool or Spa/Hot Tub
C2025CP	Cartridge	.375	225	Pool or Spa/Hot Tub
C2025RAM	Cartridge	.375	225	Pool or Spa/Hot Tub
C2025STA	Cartridge	.375	225	Pool or Spa/Hot Tub
C2030	Cartridge	.375	225	Pool or Spa/Hot Tub
C225SBHMB	Cartridge	.375	225	Pool or Spa/Hot Tub
C3020	Cartridge	.375	300	Pool or Spa/Hot Tub
C3020AQ	Cartridge	.375	300	Pool or Spa/Hot Tub
C3020CP	Cartridge	.375	300	Pool or Spa/Hot Tub
C3020RAM	Cartridge	.375	300	Pool or Spa/Hot Tub
C3020STA	Cartridge	.375	300	Pool or Spa/Hot Tub
CLE42236	Cartridge	.375	300	Pool or Spa/Hot Tub
C3025	Cartridge	.375	325	Pool or Spa/Hot Tub
C3025AQ	Cartridge	.375	325	Pool or Spa/Hot Tub
C3025CP	Cartridge	.375	325	Pool or Spa/Hot Tub
C3025RAM	Cartridge	.375	325	Pool or Spa/Hot Tub
C3025STA	Cartridge	.375	325	Pool or Spa/Hot Tub
C3030	Cartridge	.375	325	Pool or Spa/Hot Tub
C4020	Cartridge	.375	400	Pool or Spa/Hot Tub
C4020AQ	Cartridge	.375	400	Pool or Spa/Hot Tub
C4020RAM	Cartridge	.375	400	Pool or Spa/Hot Tub
C4020STA	Cartridge	.375	400	Pool or Spa/Hot Tub
C4025	Cartridge	.375	425	Pool or Spa/Hot Tub
C4025AQ	Cartridge	.375	425	Pool or Spa/Hot Tub
C4025CP	Cartridge	.375	425	Pool or Spa/Hot Tub
C4025RAM	Cartridge	.375	425	Pool or Spa/Hot Tub
C4025STA	Cartridge	.375	425	Pool or Spa/Hot Tub
C4030	Cartridge	.375	425	Pool or Spa/Hot Tub
C4520	Cartridge	.375	450	Pool or Spa/Hot Tub
C4520BH	Cartridge	.375	450	Pool or Spa/Hot Tub
C4520CP	Cartridge	.375	450	Pool or Spa/Hot Tub
C4020H	Cartridge	.375	450	Pool or Spa/Hot Tub
C4520STA	Cartridge	.375	450	Pool or Spa/Hot Tub
C4530BHMB	Cartridge	.375	450	Pool or Spa/Hot Tub
C5020	Cartridge	.3	500	Pool or Spa/Hot Tub
C5020AQ	Cartridge	.3	500	Pool or Spa/Hot Tub
C5020CP	Cartridge	.3	500	Pool or Spa/Hot Tub
C5020RAM	Cartridge	.3	500	Pool or Spa/Hot Tub
C5020STA	Cartridge	.3	500	Pool or Spa/Hot Tub
C5025	Cartridge	.3	525	Pool or Spa/Hot Tub
C5025AQ	Cartridge	.3	525	Pool or Spa/Hot Tub
C5025CP	Cartridge	.3	525	Pool or Spa/Hot Tub

C5025RAM	Cartridge	.3	525	Pool or Spa/Hot Tub
C5020H	Cartridge	.3	550	Pool or Spa/Hot Tub
C5025STA	Cartridge	.3	525	Pool or Spa/Hot Tub
C5030	Cartridge	.3	525	Pool or Spa/Hot Tub
C5520	Cartridge	.3	550	Pool or Spa/Hot Tub
C5520BH	Cartridge	.3	550	Pool or Spa/Hot Tub
C5520CP	Cartridge	.3	550	Pool or Spa/Hot Tub
C5520STA	Cartridge	.3	550	Pool or Spa/Hot Tub
C5530BH	Cartridge	.3	550	Pool or Spa/Hot Tub
C5530BHMB	Cartridge	.3	550	Pool or Spa/Hot Tub
C6060BH	Cartridge	.3	600	Pool or Spa/Hot Tub
C6060MB	Cartridge	.3	600	Pool or Spa/Hot Tub
C7000	Cartridge	.3	700	Pool or Spa/Hot Tub
C7020	Cartridge	.3	700	Pool or Spa/Hot Tub
C7020AQ	Cartridge	.3	700	Pool or Spa/Hot Tub
C7020CP	Cartridge	.3	700	Pool or Spa/Hot Tub
C7020RAM	Cartridge	.3	700	Pool or Spa/Hot Tub
C7020STA	Cartridge	.3	700	Pool or Spa/Hot Tub
C7030	Cartridge	.3	700	Pool or Spa/Hot Tub
HCF7030C	Cartridge	.3	700	Pool or Spa/Hot Tub

[3] With or without "MB" suffix for Microban.

[8] May include suffix for private labeling.

Flow Through Chemical Feeding Equipment

Automatic Brominator Feeder[1] [2]

CL220BR

[1] Follow manufacturer's instructions for the installation and operation of this equipment.

Any modifications, including the use of chemicals other than those recommended by the manufacturer, will void the NSF Certification.

[2] Maximum output rate is 2.45 lbs/day for Pools, and 3.8 lbs/day for Spas utilizing BROM-A0Gard brand Bactericide-Algaecide-Disinfectant-Bromine Tablets.

Automatic Chlorine Feeder[1] [3] [4]

CL200XXXX

CL220XXXX

[1] Follow manufacturer's instructions for the installation and operation of this equipment.

Any modifications, including the use of chemicals other than those recommended by the manufacturer, will void the NSF Certification.

[3] XXXX suffix may be one to four characters used to indicate a special combination of fittings supplied or special packaging.

[4] Maximum output rate is .32 lbs/hr (7.68 lbs/day) available chlorine.

Materials and Components

Float and Equalizer Valve[1] [2]

SP1070FVEKIT

SP1080FVEKIT

WG1080FVEKIT

[1] Commercial or residential use.

[2] Unit must be installed with a Certified skimmer for the product to be a complete Listed skimmer.

Valves[3]

PSV2S PSV2S2 PSV3S PSV3S2 PSV3SM

[3] With or without suffix DGR to denote PVC valve body and cover.

Valves Bodies

PSXV2AS1 PSXV2AS2 PSXV3AS1
PSXV3AS2

Facility : Clemmons, NC

Precoat Media-Type Filters (DE, Perlite, or Cellulose Media)

Model Number	Filter Type	Design Filtration Rate GPM Per ft ²	Effective Filtration Area (ft ²)	End Use
Pro-Grid Vertical Grid DE Filters				
DE2420	D.E.	2	24	Pool or Spa/Hot Tub
DE2420AQ	D.E.	2	24	Pool or Spa/Hot Tub
DE2420CP	D.E.	2	24	Pool or Spa/Hot Tub
DE2420RAM	D.E.	2	24	Pool or Spa/Hot Tub
DE2420STA	D.E.	2	24	Pool or Spa/Hot Tub
DELE42250	D.E.	2	24	Pool or Spa/Hot Tub
DE3620	D.E.	2	36	Pool or Spa/Hot Tub
DE3620AQ	D.E.	2	36	Pool or Spa/Hot Tub
DE3620CP	D.E.	2	36	Pool or Spa/Hot Tub
DE3620RAM	D.E.	2	36	Pool or Spa/Hot Tub
DE3620STA	D.E.	2	36	Pool or Spa/Hot Tub
DELE42252	D.E.	2	36	Pool or Spa/Hot Tub
DE4820	D.E.	2	48	Pool or Spa/Hot Tub
DE4820AQ	D.E.	2	48	Pool or Spa/Hot Tub
DE4820CP	D.E.	2	48	Pool or Spa/Hot Tub
DE4820RAM	D.E.	2	48	Pool or Spa/Hot Tub
DE4820STA	D.E.	2	48	Pool or Spa/Hot Tub
DELE42254	D.E.	2	48	Pool or Spa/Hot Tub
DE6020	D.E.	2	60	Pool or Spa/Hot Tub
DE6020AQ	D.E.	2	60	Pool or Spa/Hot Tub
DE6020CP	D.E.	2	60	Pool or Spa/Hot Tub
DE6020RAM	D.E.	2	60	Pool or Spa/Hot Tub
DE6020STA	D.E.	2	60	Pool or Spa/Hot Tub
DELE42256	D.E.	2	60	Pool or Spa/Hot Tub
DE7220	D.E.	2	72	Pool or Spa/Hot Tub
DE7220AQ	D.E.	2	72	Pool or Spa/Hot Tub
DE7220CP	D.E.	2	72	Pool or Spa/Hot Tub

DE7220RAM	D.E.	2	72	Pool or Spa/Hot Tub
DE7220STA	D.E.	2	72	Pool or Spa/Hot Tub
DELE42258	D.E.	2	72	Pool or Spa/Hot Tub

Sand Type Filters

Model Number	Filter Type	Design Filtration Rate GPM Per ft ²	Effective Filtration Area (ft ²)	End Use
Sand Filters				
S200	High Rate Sand	20	2.2	Pool or Spa/Hot Tub
SLE42082	High Rate Sand	20	2.2	Pool or Spa/Hot Tub
S220S[2]	High Rate Sand	20	2.6	Pool or Spa/Hot Tub
S220T[1]	High Rate Sand	20	2.6	Pool or Spa/Hot Tub
S220T2[5]	High Rate Sand	20	2.6	Pool or Spa/Hot Tub
S2300TPL	High Rate Sand	20	2.6	Pool or Spa/Hot Tub
S224T[1]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S240	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S244S[2] [3]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S244SAQ[3]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S244T[3]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S244T2[3] [5]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S244TRAM[3]	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
SLE42084	High Rate Sand	20	3.1	Pool or Spa/Hot Tub
S310S[2]	High Rate Sand	20	4.9	Pool or Spa/Hot Tub
S310SAQ	High Rate Sand	20	4.9	Pool or Spa/Hot Tub
S310T[1]	High Rate Sand	20	4.9	Pool or Spa/Hot Tub
S310T2[5]	High Rate Sand	20	4.9	Pool or Spa/Hot Tub
SLE42086	High Rate Sand	20	4.9	Pool or Spa/Hot Tub
S311SX[4]	High Rate Sand	20	4.95	Pool or Spa/Hot Tub
S360SX	High Rate Sand	20	6.5	Pool or Spa/Hot Tub
S360SXAQ	High Rate Sand	20	6.5	Pool or Spa/Hot Tub
S360T2[5]	High Rate Sand	20	6.5	Pool or Spa/Hot Tub

- [1] Beginning serial number for NSF Listed models is 019.
- [2] Beginning serial number for NSF Listed models is 320B24.
- [3] NTS - Special Logo for In The Swim
- [4] Beginning serial number for NSF Listed models is 320J24.
- [5] With or without suffix AU

Recessed Automatic Surface Skimmers

Skimmers[1] [2]

SP1070FVEXXXXXX[3] [5]	SP1070XXXXXX[4] [5]	SP10712FVEXXXXXX[3] [5]
SP10712SFVEXXXXXX[3] [5]	SP10715XXXXXX[3] [5]	SP1071FVEXXXXXX[3] [6]
SP1071SFVEXXXXXX[3] [6]	SP1071XXXXXX[4] [5]	SP10821FVEXXXXXX[3] [6]
SP10821RFVEXXXXXX[3] [6]	SP1082FVEXXXXXX[3] [6]	SP1082RCFVEXXXXXX[3] [6]
SP1082RFVEXXXXXX[3] [6]	SP1082XXXXXX[4] [6]	SP1084FVEXXXXXX[3] [6]
SP1084RFVEXXXXXX[3] [6]	SP1084RXXXXXX[4] [6]	SP1084XXXXXX[4] [6]
SP10852FVEXXXXXX[3] [6]	SP10852RFVEXXXXXX[3] [6]	SP10852RXXXXXX[4] [6]

SP10852XXXXXX[4] [6]	SP1085FVEXXXXXX[3] [6]	SP1085RFVEXXXXXX[3] [6]
SP1085RXXXXXX[4] [6]	SP1085XXXXXX[4] [6]	WG10712SFVXXXXXX[3]

- [1] XXXXXX - 1 to 6 character suffix indicating extra fittings supplied or port configurations.
- [2] Certified for a maximum flow rate of 55 gpm.
- [3] Commercial use or residential use. FVE suffix indicates use of a float valve and an equalizer valve within the skimmer.
- [4] Residential use only.
- [5] SP1070 series skimmers require cover WG1070C to meet the UV exposure, structural integrity, and cleanability requirements of NSF/ANSI 50.
- [6] SP1080 series skimmers require cover WG1082E to meet the UV exposure, structural integrity, and cleanability requirements of NSF/ANSI 50.

Pumps

MaxFlo II Series Self-Priming Pumps[1] [2] [3] [4]

SP2705X7	SP2707X10[5]	SP2707X102[5]
SP2710X15[5]	SP2710X152[5]	SP2715X20[5]
SP2715X202[5]		

- [1] Certified for pool and spa end use.
- [2] Self-prime with 1.5" pipe.
- [3] With or without suffix EE.
EE - Energy efficient
- [4] All Max-Flo II models include 1 1/2" x 2" CPVC unions.
- [5] With quiet impeller.

MaxFlo XL Series Self-Priming Pumps[1] [3] [6] [7]

SP2300[8]	SP2302[8] [9]	SP2305X7
SP2305X7EESP[5]	SP2307X10[5]	SP2307X102[5]
SP2310X15[5]	SP2310X152[5]	SP23115[8]
SP23115VSP[10]	SP2315X20[5]	SP2315X202[5]
SW3115[10]		

- [1] Certified for pool and spa end use.
- [3] With or without suffix EE.
EE - Energy efficient
- [5] With quiet impeller.
- [6] Self-prime with 2" pipe.
- [7] All Max-Flo XL models include 1 1/2" x 2" CPVC unions.
- [8] With or without suffix VSP (Variable Speed Pump).
- [9] With or without suffix VSPND (variable speed pump w/controller interface).
- [10] Same unit as SP2310x15 but will display the logo EnergyFlo/Swim Pro.

Self-Priming Centrifugal Pumps [11]

RS1000	RS1500	RS2000	RS2500	RS3000	RS750	SP2600[8] [12]
SP2600X5[12]	SP2602[8] [12]	SP2605[12]	SP2605X7[12]	SP2607[12] [13]	SP2607X10[12] [13]	SP2610[12] [13]
SP2610X15[12] [13]	SP26115VSP[12] [13]	SP2615[12] [13]	SP2615X20[12] [13]	SP2621[12] [13]	SP2621X25[12] [13]	SP28000X5[12]
SP2805X7[12]	SP2807X10[12] [13]	SP2810X15[12] [13]	SP2815X20[12] [13]	SP3005[12]	SP3005X7[12]	SP3007[12] [13]

SP3007X10[12] [13]SP3010[12] [13] SP3010X15[12] [13] SP3015[12] [13] SP3015X20[12] [13] SP3020[12] [13] SP3020X25[12] [13]
 SP3025[12] SP3025X30[12] SP3105[12] SP3105X7[12] SP3107[12] [13] SP3107X10[12] [13] SP3110[12] [13]
 SP3110X15[12] [13] SP3115[12] [13] SP3115X15[12] [13] SP3120[12] [13] SP3120X25[12] [13] SPLE40010[12] SPLE40012[12] [13]
 SPLE40014[12] [13]SPLE40016[12] [13] SPLE40018[12] [13]SPLE40020[12] [13]SPLE40046[12] [13]SPLE40047[12] [13]SPLE40048[12] [13]

[8] With or without suffix VSP (Variable Speed Pump).

[11] Series 2600 with or without suffix EE and Series 3000 pumps with or without suffixes EE, AQ, BLK, and RAM.

AQ - Beige pump housing and motor

AZ - Threaded strainer housing cover

BH - Special logo for Blue Haven, Inc.

BLK - Black motor

CA - Labeled for sale in California

CP - Special logo for California Pools

EE - Energy efficient

FL - Gold motor

NTS - Special logo for In The Swim

RAM - RAM chemical label

UN - Provided with union couplings

[12] Suffix numbers denote cycle and phase.

[13] With or without suffixes 2 or 2S.

Valves

Multiport Valves[1]

SP710X SP712 SP714 SP715 SP716XX SP740DE

[1] With or without suffix letter(s) and/or number(s) indicating description or parts, metric threads, or mounting parts.

Cartridge and High Permeability Type Filters

Model Number	Filter Type	Design Filtration Rate GPM Per ft ²	Effective Filtration Area (ft ²)	End Use
Star Clear Cartridge Filters[1] [2] [3]				
C250[4]	Cartridge	1	25	Pool or Spa/Hot Tub
C250[5]	Cartridge	.375	25	Pool or Spa/Hot Tub
C500[4]	Cartridge	1	50	Pool or Spa/Hot Tub
C500[5]	Cartridge	.375	50	Pool or Spa/Hot Tub
CLE42032[4]	Cartridge	1	50	Pool or Spa/Hot Tub
CLE42032[5]	Cartridge	.375	50	Pool or Spa/Hot Tub
C750[4]	Cartridge	1	75	Pool or Spa/Hot Tub
C750[5]	Cartridge	.375	75	Pool or Spa/Hot Tub
C100[4] [6]	Cartridge	1	100	Pool or Spa/Hot Tub
C100[5] [6]	Cartridge	.375	100	Pool or Spa/Hot Tub

[1] BLK - Black base and collar

[2] Maximum Pressure Loss

Flow Rate	Static Pressure	Total Pressure
gpm/sq ft	Loss, psig	Loss, psi
.375	5	5.2

[3] With or without "MB" suffix for Microban.

[4] Residential

[5] Public

[6] NSF Listed units have a beginning serial number of 320F30.

Star Clear Plus Cartridge Filters[1] [3]

C751[4]	Cartridge	1	75	Pool or Spa/Hot Tub
C751[5]	Cartridge	.375	75	Pool or Spa/Hot Tub
C7512[4]	Cartridge	1	75	Pool or Spa/Hot Tub
C7512[5]	Cartridge	.375	75	Pool or Spa/Hot Tub
C7512BH[4]	Cartridge	1	75	Pool or Spa/Hot Tub
C7512BH[5]	Cartridge	.375	75	Pool or Spa/Hot Tub
C751BH[4]	Cartridge	1	75	Pool or Spa/Hot Tub
C751BH[5]	Cartridge	.375	75	Pool or Spa/Hot Tub
C900[4]	Cartridge	1	90	Pool or Spa/Hot Tub
C900[5]	Cartridge	.375	90	Pool or Spa/Hot Tub
C9002[4]	Cartridge	1	90	Pool or Spa/Hot Tub
C9002[5]	Cartridge	.375	90	Pool or Spa/Hot Tub
C9002AQ[4]	Cartridge	1	90	Pool or Spa/Hot Tub
C9002AQ[5]	Cartridge	.375	90	Pool or Spa/Hot Tub
C9002SBH[4]	Cartridge	1	90	Pool or Spa/Hot Tub
C9002SBH[5]	Cartridge	.375	90	Pool or Spa/Hot Tub
CLE42031[4]	Cartridge	1	90	Pool or Spa/Hot Tub
CLE42031[5]	Cartridge	.375	90	Pool or Spa/Hot Tub
C1200[4]	Cartridge	1	120	Pool or Spa/Hot Tub
C1200[5]	Cartridge	.375	120	Pool or Spa/Hot Tub
C12002[4]	Cartridge	1	120	Pool or Spa/Hot Tub
C12002[5]	Cartridge	.375	120	Pool or Spa/Hot Tub
C12002AQ[4]	Cartridge	1	120	Pool or Spa/Hot Tub
C12002AQ[5]	Cartridge	.375	120	Pool or Spa/Hot Tub
C12002SBH[4]	Cartridge	1	120	Pool or Spa/Hot Tub
C12002SBH[5]	Cartridge	.375	120	Pool or Spa/Hot Tub
CLE42034[4]	Cartridge	1	120	Pool or Spa/Hot Tub
CLE42034[5]	Cartridge	.375	120	Pool or Spa/Hot Tub
C1502[4]	Cartridge	1	150	Pool or Spa/Hot Tub
C1502[5]	Cartridge	.375	150	Pool or Spa/Hot Tub
C1750[4]	Cartridge	1	175	Pool or Spa/Hot Tub
C1750[5]	Cartridge	.375	175	Pool or Spa/Hot Tub
C17502[4]	Cartridge	1	175	Pool or Spa/Hot Tub
C17502[5]	Cartridge	.375	175	Pool or Spa/Hot Tub
C17502AQ[4]	Cartridge	1	175	Pool or Spa/Hot Tub
C17502AQ[5]	Cartridge	.375	175	Pool or Spa/Hot Tub
C17502S[4]	Cartridge	1	175	Pool or Spa/Hot Tub
C17502S[5]	Cartridge	.375	175	Pool or Spa/Hot Tub
C17502SBH[4]	Cartridge	1	175	Pool or Spa/Hot Tub
C17502SBH[5]	Cartridge	.375	175	Pool or Spa/Hot Tub
CLE42035[4]	Cartridge	1	175	Pool or Spa/Hot Tub
CLE42035[5]	Cartridge	.375	175	Pool or Spa/Hot Tub
C17502SH[4]	Cartridge	1	190	Pool or Spa/Hot Tub

C17502SH[5]	Cartridge	.375	190	Pool or Spa/Hot Tub
C19002S[4]	Cartridge	1	190	Pool or Spa/Hot Tub
C19002S[5]	Cartridge	.375	190	Pool or Spa/Hot Tub
C19002SBH[4]	Cartridge	1	190	Pool or Spa/Hot Tub
C19002SBH[5]	Cartridge	.375	190	Pool or Spa/Hot Tub
C2002[4]	Cartridge	1	200	Pool or Spa/Hot Tub
C2002[5]	Cartridge	.375	200	Pool or Spa/Hot Tub

- [1] BLK - Black base and collar
 [3] With or without "MB" suffix for Microban.
 [4] Residential
 [5] Public

Super Star Clear Cartridge Filters[1]

C2000[5]	Cartridge	.375	200	Pool or Spa/Hot Tub
C2000AQ[4] [5]	Cartridge	.375	200	Pool or Spa/Hot Tub
C3000[4] [5]	Cartridge	.375	300	Pool or Spa/Hot Tub
C3000AQ[4] [5]	Cartridge	.375	300	Pool or Spa/Hot Tub
C3000S[5]	Cartridge	.375	300	Pool or Spa/Hot Tub
CLE42036[4] [5]	Cartridge	.375	300	Pool or Spa/Hot Tub
C3000BH[4] [5]	Cartridge	.375	325	Pool or Spa/Hot Tub
C3000H[4] [5]	Cartridge	.375	325	Pool or Spa/Hot Tub
C4000[4] [5]	Cartridge	.375	400	Pool or Spa/Hot Tub
C4000AQ[4] [5]	Cartridge	.375	400	Pool or Spa/Hot Tub
C4000CP[4] [5]	Cartridge	.375	400	Pool or Spa/Hot Tub
C4000S[4] [5]	Cartridge	.375	400	Pool or Spa/Hot Tub
C4000H[4] [5]	Cartridge	.375	450	Pool or Spa/Hot Tub
C4500[4] [5]	Cartridge	.375	450	Pool or Spa/Hot Tub
C5000[4] [5]	Cartridge	.3	500	Pool or Spa/Hot Tub
C5000AQ[4] [5]	Cartridge	.3	500	Pool or Spa/Hot Tub
C5500STA[4] [5]	Cartridge	.3	500	Pool or Spa/Hot Tub
C5000H[4] [5]	Cartridge	.3	550	Pool or Spa/Hot Tub
C5500[4] [5]	Cartridge	.3	550	Pool or Spa/Hot Tub

- [1] BLK - Black base and collar
 [4] Residential
 [5] Public

Swim Clear Cartridge Filters[3]

C100S[7]	Cartridge	.375	100	Pool or Spa/Hot Tub
C150S[7]	Cartridge	.375	150	Pool or Spa/Hot Tub
C200S[7]	Cartridge	.375	200	Pool or Spa/Hot Tub
C2020	Cartridge	.375	200	Pool or Spa/Hot Tub
C2020AQ	Cartridge	.375	200	Pool or Spa/Hot Tub
C2020CP	Cartridge	.375	200	Pool or Spa/Hot Tub
C2020RAM	Cartridge	.375	200	Pool or Spa/Hot Tub
C2020STA	Cartridge	.375	200	Pool or Spa/Hot Tub
C2025	Cartridge	.375	225	Pool or Spa/Hot Tub
C2025AQ	Cartridge	.375	225	Pool or Spa/Hot Tub
C2025CP	Cartridge	.375	225	Pool or Spa/Hot Tub
C2025RAM	Cartridge	.375	225	Pool or Spa/Hot Tub
C2025STA	Cartridge	.375	225	Pool or Spa/Hot Tub
C2030	Cartridge	.375	225	Pool or Spa/Hot Tub

C225SBHMB	Cartridge	.375	225	Pool or Spa/Hot Tub
C3020	Cartridge	.375	300	Pool or Spa/Hot Tub
C3020AQ	Cartridge	.375	300	Pool or Spa/Hot Tub
C3020CP	Cartridge	.375	300	Pool or Spa/Hot Tub
C3020RAM	Cartridge	.375	300	Pool or Spa/Hot Tub
C3020STA	Cartridge	.375	300	Pool or Spa/Hot Tub
CLE42236	Cartridge	.375	300	Pool or Spa/Hot Tub
C3025	Cartridge	.375	325	Pool or Spa/Hot Tub
C3025AQ	Cartridge	.375	325	Pool or Spa/Hot Tub
C3025CP	Cartridge	.375	325	Pool or Spa/Hot Tub
C3025RAM	Cartridge	.375	325	Pool or Spa/Hot Tub
C3025STA	Cartridge	.375	325	Pool or Spa/Hot Tub
C3030	Cartridge	.375	325	Pool or Spa/Hot Tub
C4020	Cartridge	.375	400	Pool or Spa/Hot Tub
C4020AQ	Cartridge	.375	400	Pool or Spa/Hot Tub
C4020RAM	Cartridge	.375	400	Pool or Spa/Hot Tub
C4020STA	Cartridge	.375	400	Pool or Spa/Hot Tub
C4025	Cartridge	.375	425	Pool or Spa/Hot Tub
C4025AQ	Cartridge	.375	425	Pool or Spa/Hot Tub
C4025CP	Cartridge	.375	425	Pool or Spa/Hot Tub
C4025RAM	Cartridge	.375	425	Pool or Spa/Hot Tub
C4025STA	Cartridge	.375	425	Pool or Spa/Hot Tub
C4020H	Cartridge	.375	450	Pool or Spa/Hot Tub
C4030	Cartridge	.375	450	Pool or Spa/Hot Tub
C4520	Cartridge	.375	450	Pool or Spa/Hot Tub
C4520BH	Cartridge	.375	450	Pool or Spa/Hot Tub
C4520CP	Cartridge	.375	450	Pool or Spa/Hot Tub
C4520STA	Cartridge	.375	450	Pool or Spa/Hot Tub
C4530BHMB	Cartridge	.375	450	Pool or Spa/Hot Tub
C5020	Cartridge	.3	500	Pool or Spa/Hot Tub
C5020AQ	Cartridge	.3	500	Pool or Spa/Hot Tub
C5020CP	Cartridge	.3	500	Pool or Spa/Hot Tub
C5020RAM	Cartridge	.3	500	Pool or Spa/Hot Tub
C5020STA	Cartridge	.3	500	Pool or Spa/Hot Tub
C5025	Cartridge	.3	525	Pool or Spa/Hot Tub
C5025AQ	Cartridge	.3	525	Pool or Spa/Hot Tub
C5025CP	Cartridge	.3	525	Pool or Spa/Hot Tub
C5025RAM	Cartridge	.3	525	Pool or Spa/Hot Tub
C5025STA	Cartridge	.3	525	Pool or Spa/Hot Tub
C5020H	Cartridge	.3	550	Pool or Spa/Hot Tub
C5030	Cartridge	.3	525	Pool or Spa/Hot Tub
C5520	Cartridge	.3	550	Pool or Spa/Hot Tub
C5520BH	Cartridge	.3	550	Pool or Spa/Hot Tub
C5520CP	Cartridge	.3	550	Pool or Spa/Hot Tub
C5520STA	Cartridge	.3	550	Pool or Spa/Hot Tub
C5530BH	Cartridge	.3	550	Pool or Spa/Hot Tub
C5530BHMB	Cartridge	.3	550	Pool or Spa/Hot Tub
C6060BH	Cartridge	.3	600	Pool or Spa/Hot Tub
C6060MB	Cartridge	.3	600	Pool or Spa/Hot Tub
C7000	Cartridge	.3	700	Pool or Spa/Hot Tub
C7020	Cartridge	.3	700	Pool or Spa/Hot Tub
C7020AQ	Cartridge	.3	700	Pool or Spa/Hot Tub
C7020CP	Cartridge	.3	700	Pool or Spa/Hot Tub
C7020RAM	Cartridge	.3	700	Pool or Spa/Hot Tub
C7020STA	Cartridge	.3	700	Pool or Spa/Hot Tub
C7030	Cartridge	.3	700	Pool or Spa/Hot Tub

HCF7030C

Cartridge

.3

700

Pool or Spa/Hot Tub

- [3] With or without "MB" suffix for Microban.
 [7] May include suffix for private labeling.

Flow Through Chemical Feeding Equipment

Automatic Brominator Feeder[1] [2]

CL220BR

- [1] Follow manufacturer's instructions for the installation and operation of this equipment.
 Any modifications, including the use of chemicals other than those recommended by the manufacturer, will void the NSF Certification.
- [2] Maximum output rate is 2.45 lbs/day for Pools, and 3.8 lbs/day for Spas utilizing BROM-A0Gard brand Bactericide-Algaecide-Disinfectant-Bromine Tablets.

Automatic Chlorine Feeder[1] [3] [4]

CL200XXXX

CL220XXXX

- [1] Follow manufacturer's instructions for the installation and operation of this equipment.
 Any modifications, including the use of chemicals other than those recommended by the manufacturer, will void the NSF Certification.
- [3] XXXX suffix may be one to four characters used to indicate a special combination of fittings supplied or special packaging.
- [4] Maximum output rate is .32 lbs/hr (7.68 lbs/day) available chlorine.

Ultraviolet Light Process Equipment

UV Generators[1] [2]

HydroRite HYR2CSC-UV[3]

HydroRite HYR2CSC-UV-CUL[3]

HydroRite HYR2CSC-UVO[4]

HydroRite HYR2CSC-UVO-CUL[4]

HydroRite HYR2CSUV[3]

HydroRite HYR2CSUV-03[4]

- [1] Product has met the requirements of NSF/ANSI 50, Annex H.1: Disinfection Efficacy for the ≥ 3 log reduction of *Enterococcus faecium* (ATCC #6569) and *Pseudomonas aeruginosa* (ATCC #27313). This product is intended for supplemental disinfection and should be used with registered or approved disinfection chemicals to impart residual concentrations in accordance with state or local regulations.
- [2] Certified as UV Process Equipment only.
- [3] UV only lamp
- [4] UV/Ozone Lamp

Materials and Components

Float and Equalizer Valve[1] [2]

SP1070FVEKIT

SP1080FVEKIT

WG1080FVEKIT

- [1] Commercial or Residential Use.
- [2] Unit must be installed with a Certified skimmer for the product to be a complete Listed skimmer.

Valves[3]

PSV2S PSV2S2 PSV3S PSV3S2

- [3] With or without suffix DGR to denote PVC valve body and cover.

Valves Bodies

PSXV2AS1 PSXV2AS2 PSXV3AS1
 PSXV3AS2

Facility : Jiangsu Province, China

Recessed Automatic Surface Skimmers

Skimmers[1] [2]

SP1070FVEXXXXXXX[3] [5]	SP1070XXXXXX[4] [5]	SP10712FVEXXXXXXX[3] [5]
SP10712SFVEXXXXXXX[3] [5]	SP10715XXXXXX[3] [5]	SP1071FVEXXXXXXX[3] [5]
SP1071SFVEXXXXXXX[3] [5]	SP1071XXXXXX[4] [5]	SP10821FVEXXXXXXX[3] [6]
SP10821RFVEXXXXXXX[6]	SP1082FVEXXXXXXX[6]	SP1082RCFVEXXXXXXX[3] [6]
SP1082RFVEXXXXXXX[3] [6]	SP1082XXXXXX[4] [6]	SP1084FVEXXXXXXX[3] [6]
SP1084RFVEXXXXXXX[3] [6]	SP1084RXXXXXX[4] [6]	SP1084XXXXXX[4] [6]
SP10852FVEXXXXXXX[3] [6]	SP10852RFVEXXXXXXX[3] [6]	SP10852RXXXXXX[4] [6]
SP10852XXXXXX[4] [6]	SP1085FVEXXXXXXX[3] [6]	SP1085RFVEXXXXXXX[3] [6]
SP1085RXXXXXX[4] [6]	SP1085XXXXXX[4] [6]	WG10712SFVXXXXXX[3]

- [1] XXXXXX - 1 to 6 character suffix indicating extra fittings supplied or port configurations.
- [2] Certified for a maximum flow rate of 55 gpm.
- [3] Commercial use or residential use. FVE suffix indicates use of a float valve and an equalizer valve within the skimmer.
- [4] Residential use only.
- [5] SP1070 series skimmers require cover WG1070C to meet the UV exposure, structural integrity, and cleanability requirements of NSF/ANSI 50.
- [6] SP1080 series skimmers require cover WG1082E to meet the UV exposure, structural integrity, and cleanability requirements of NSF/ANSI 50.

Valves

Check Valves

PSCV2S - 1 1/2"[1]	PSCV2S - 2"[1]	PSCV2S2 - 2 1/2"[1]
PSCV2S2 - 2"[1]	PSCV2S2DGR - 2 1/2"[2]	PSCV2S2DGR - 2"[2]
PSCV2SDGR - 1 1/2"[2]	PSCV2SDGR - 2"[2]	

- [1] CPVC Material
- [2] PVC Material

Flow Through Chemical Feeding Equipment

Automatic Brominator Feeder[1] [2]

CL220BR

- [1] Follow manufacturer's instructions for the installation and operation of this equipment. Any modifications, including the use of chemicals other than those recommended by the manufacturer, will void the NSF Certification.
- [2] Maximum output rate is 2.45 lbs/day for Pools, and 3.8 lbs/day for Spas utilizing BROM-A0Gard brand Bactericide-Algaecide-Disinfectant-Bromine Tablets.

Automatic Chlorine Feeder[1] [3] [4]

CL200XXXX

CL220XXXX

- [1] Follow manufacturer's instructions for the installation and operation of this equipment. Any modifications, including the use of chemicals other than those recommended by the manufacturer, will void the NSF Certification.
- [3] XXXX suffix may be one to four characters used to indicate a special combination of fittings supplied or special packaging.
- [4] Maximum output rate is .32 lbs/hr (7.68 lbs/day) available chlorine.

Materials and Components

Valve Bodies

PSXV2AS1	PSXV2AS2	PSXV3AS1
PSXV3AS2		

Valves[1]

PSV2S	PSV2S2	PSV3S	PSV3S2	PSV3SM
-------	--------	-------	--------	--------

- [1] With or without suffix DGR to denote PVC valve body and cover.

Number of matching Manufacturers is 1
 Number of matching Products is 662
 Processing time was 1 seconds